

订购热线: 4008-898-798

Anti-ALDOA antibody

Cat. No. ml120203

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-ALDOA rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Fusion protein of human ALDOA

Reactivity Human, Mouse, Rat

Content0.3 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol ALDOA

Full name Aldolase A, fructose-bisphosphate

Synonyms ALDA; GSD12
Swissprot P04075

Target Background

The protein encoded by this gene, Aldolase A (fructose-bisphosphate aldolase), is a glycolytic enzyme that catalyzes the reversible conversion of fructose-1,6-bisphosphate to glyceraldehyde 3-phosphate and dihydroxyacetone phosphate. Three aldolase isozymes (A, B, and C), encoded by three different genes, are differentially expressed during development. Aldolase A is found in the developing embryo and is produced in even greater amounts in adult muscle. Aldolase A expression is repressed in adult liver, kidney and intestine and similar to aldolase C levels in brain and other nervous tissue. Aldolase A deficiency has been associated with myopathy and hemolytic anemia. Alternative splicing and alternative promoter usage results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 3 and 10.



订购热线: 4008-898-798


Applications

Immunohistochemistry

Predicted cell location: Cytoplasm Positive control: Human ovarian cancer

Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using ml120203(ALDOA Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)

Western blotting

Predicted band size:39 kDa

Positive control: A549 and hela cells Recommended dilution: 500-2000

Gel: 10%SDS-PAGE

Lysate: 40 µg


Lane 1-2: A549 cells, hela cells


on on cells Primary antibody: ml120203(ALDOA Antibody) at dilution 1/500

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution


Exposure time: 3 seconds

Predicted cell location: Cytoplasm Positive control: Human gasrtic cancer Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using ml120203(ALDOA Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)



ELISA

Recommended dilution: 2000-5000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio cn@yeah.net

网址: www.mlbio.cn