

Anti-SIGLEC8 antibody

Cat. No.	ml162202
Package	25 µl/100 µl/200 µl
Storage	-20°C, pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol

Product overview

Description	Anti-SIGLEC8 rabbit polyclonal antibody
Applications	ELISA, WB
Immunogen	Synthetic peptide of human SIGLEC8
Reactivity	Human
Content	0.4 mg/ml
Host species	Rabbit
Ig class	Immunogen-specific rabbit IgG
Purification	Antigen affinity purification

Target information

Symbol	SIGLEC8
Full name	sialic acid binding Ig-like lectin 8
Synonyms	SAF2; SIGLEC-8; SIGLEC8L
Swissprot	Q9NYZ4

Target Background

Sialic acid-binding immunoglobulin (Ig)-like lectins, or SIGLECs, are a family of type 1 transmembrane proteins each having a unique expression pattern, mostly in hemopoietic cells. SIGLEC8 is a member of the CD33-like subgroup of SIGLECs, which are localized to 19q13.3-q13.4 and have 2 conserved cytoplasmic tyrosine-based motifs: an immunoreceptor tyrosine-based inhibitory motif, or ITIM, and a motif homologous to one identified in signaling lymphocyte activation molecule that mediates an association with SLAM-associated protein.

订购热线: 4008-898-798

Applications

Western blotting

Predicted band size: 54 kDa

Positive control: Human normal liver tissue

Recommended dilution: 200-1000

Gel: 6%SDS-PAGE


Lysate: 40 µg

Lane: Human normal liver tissue

Primary antibody: ml162202(SIGLEC8 Antibody) at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 2 minutes



ELISA

Recommended dilution: 1000-2000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn