

Anti-APP antibody

Cat. No. ml260097

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-APP rabbit polyclonal antibody

Applications ELISA, WB, IHC

Immunogen Synthetic peptide of human APP

Reactivity Human, Mouse, Rat

Content 1.2 mg/ml

Host species Rabbit

Ig class Immunogen-specific rabbit IgG

Purification Antigen affinity purification

Target information

Symbol APP

Full name amyloid beta precursor protein



Synonyms AAA; AD1; PN2; ABPP; APPI; CVAP; ABETA; PN-II; preA4; CTFgamma

Swissprot P05067

Target Background

This gene encodes a cell surface receptor and transmembrane precursor protein that is cleaved by secretases to form a number of peptides. Some of these peptides are secreted and can bind to the acetyltransferase complex APBB1/TIP60 to promote transcriptional activation, while others form the protein basis of the amyloid plaques found in the brains of patients with Alzheimer disease. In addition, two of the peptides are antimicrobial peptides, having been shown to have bacteriocidal and antifungal activities. Mutations in this gene have been implicated in autosomal dominant Alzheimer disease and cerebroarterial amyloidosis (cerebral amyloid angiopathy). Multiple transcript variants encoding several different isoforms have been found for this gene.



Applications


Immunohistochemistry

Predicted cell location: Cytoplasm

Positive control: Human tonsil

Recommended dilution: 50-300





Good elisakit producere

The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using ml260097(APP Antibody) at dilution 1/50, on the right is treated with synthetic peptide. (Original magnification: ×200)

Western blotting

Predicted band size:87 kDa

Positive control:K562 cell lysate

Recommended dilution: 200-1000



Gel: 6%SDS-PAGE


Lysate: 40 µg

Lane: K562 cell lysate

Primary antibody: ml260097(APP Antibody) at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 1 minute



ELISA

Recommended dilution: 5000-10000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net

网址: www.mlbio.cn