

## Anti-SSX1 antibody

|                 |                                                         |
|-----------------|---------------------------------------------------------|
| <b>Cat. No.</b> | ml223233                                                |
| <b>Package</b>  | 25 µl/100 µl/200 µl                                     |
| <b>Storage</b>  | -20°C, pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol |

### Product overview

|                     |                                      |
|---------------------|--------------------------------------|
| <b>Description</b>  | Anti-SSX1 rabbit polyclonal antibody |
| <b>Applications</b> | ELISA, WB                            |
| <b>Immunogen</b>    | Fusion protein of human SSX1         |
| <b>Reactivity</b>   | Human                                |
| <b>Content</b>      | 0.3 mg/ml                            |
| <b>Host species</b> | Rabbit                               |
| <b>Ig class</b>     | Immunogen-specific rabbit IgG        |
| <b>Purification</b> | Antigen affinity purification        |

### Target information

|                  |                                  |
|------------------|----------------------------------|
| <b>Symbol</b>    | SSX1                             |
| <b>Full name</b> | synovial sarcoma, X breakpoint 1 |
| <b>Synonyms</b>  | SSRC; CT5.1                      |
| <b>Swissprot</b> | Q16384                           |

### Target Background

The product of this gene belongs to the family of highly homologous synovial sarcoma X (SSX) breakpoint proteins. These proteins may function as transcriptional repressors. They are also capable of eliciting spontaneous humoral and cellular immune responses in cancer patients, and are potentially useful targets in cancer vaccine-based immunotherapy.

订购热线: 4008-898-798

#### Applications

##### Western blotting

Predicted band size: 22 kDa

Positive control: K562 cells

Recommended dilution: 200-1000

Gel: 12% SDS-PAGE


Lysate: 40 µg

Lane: K562 cells

Primary antibody: ml223233(SSX1 Antibody) at dilution 1/350

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 1 minute



##### ELISA

Recommended dilution: 1000-2000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: [mlbio\\_cn@yeah.net](mailto:mlbio_cn@yeah.net)

网址: [www.mlbio.cn](http://www.mlbio.cn)